

SPY 39 TRIMLESS 93040 B

24121 9330 B

ERHÄLTlich IN

SCHWARZ 24121 9330 B

ALU GEBÜRSTET 24121 9330 BRA

GEBÜRSTETES ANTHRAZIT 24121 9330 BRAT

GEBÜRSTETES KUPFER 24121 9330 BRCU

GEBÜRSTETES GOLD 24121 9330 BRG

GEBÜRSTETE ALTE BRONZE 24121 9330 BROB




FLEMISH BRONZE 24121 9330 FBR

FLEMISH GOLD 24121 9330 FG

GOLDFARBEN 24121 9330 GC

KLAVIER SCHWARZ 24121 9330 PB

WEISS 24121 9330 W



Auf der Website anzeigen

Allgemeine Information

ANWENDUNGSBEREICH	innenbereich
INSTALLATION	Decke Einbau
FORM / GRÖSSE DES AUSSCHNITTS (MM)	rund - Ø KIT
EINBAUTIEFE (MM)	80
SCHUTZ GEGEN EINDRINGEN	IP20
GEWICHT (KG)	0,3
VERSTELLBARKEIT	0° to 45° schwenkbar, 355° drehbar
INFORMATION	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 350-500mA-DC

Elektrische Informationen

KLASSE	III
ART DER DIMMUNG	Abhängig von der Art der externen Stromversorgung
ENERGIEKLASSE	D
ZERTIFIKATE	CB, ENEC

Lichtquelle Info

LIGHTSOURCE NAME	LED
LICHTQUELLE	LED array 5,8-8,6W / CRI>90 (R9: 52) / 3000K / 787-1089lm
TM-30	Rf: 90 / Rg: 99
SDCM	SDCM1
RISIKOGRUPPE	RG1
LM80	L90B10 > 50000
LED -TECHNIK (LICHTQUELLE)	1089lm // 8,6W // 127lm/W
LED -TECHNIK (LEUCHTE)	883lm // 10W // 89lm/W

SPY 39 TRIMLESS 93040 B
























24121 9330 B

Erforderliches Zubehör

SPY 39 TUBE or VISOR 39
MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.
MOUNTING KIT AIR 103
LED POWER SUPPLY 350 / 500mA-DC DIM

Detaillierte Installationsanweisungen finden Sie in der Montageanleitung: [24121_XXX0_HAND.pdf](#)

DECKENKOMPATIBILITÄT

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Plasterboard	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Stucanet	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT SPY 39/52 TRIMLESS CSC	Required
	 MOUNTING KIT SPY 39/52 TRIMLESS WSC	Required
 Ventilation in plasterboard	 MOUNTING KIT SIDE AIR 103	Required
	 MOUNTING KIT NO AIR 103	Required
	 MOUNTING KIT SIDE AIR ONLY 1	Required
 Ventilation in concrete + plaster	 MOUNTING KIT NO AIR 103	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required
	 MOUNTING KIT TOP AIR 103	Required


SPY 39 TRIMLESS 93040 B

24121 9330 B

SPEZIFIKATION FERTIGSTELLEN


LED Betriebsgeräte

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1->4(4) / 1->3(3)



300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1->2(2) / 1->2(1)



300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6) / 1->6(4)




300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

1->2(2) / 1->2(1)




300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

1->2(2) / 1->2(1)




21012 0010 LED POWER SUPPLY MULTI POWER

1->2 / 1->2




21012 0021 LED POWER SUPPLY MULTI POWER DIM1

1->3 / 1->2



21012 0035 LED POWER SUPPLY MULTI POWER DIM5

1->3 / 1->2




21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->3 / 1->2


SPY 39 TRIMLESS 93040 B

24121 9330 B




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2 / 2->2




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2 / 1->2 / 1->2




21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1




21012 0318 LED POWER SUPPLY 500mA / 10W DIM8

1



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1->2



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2

Mounting Kit




15212 2030 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.

SPY 39 TRIMLESS 93040 B

24121 9330 B

Mounting Kit Spanndecken




15212 0080 MOUNTING KIT SPY 39/52 TRIMLESS CSC



15212 0160 MOUNTING KIT SPY 39/52 TRIMLESS WSC




Montagesätze -air + light



29810 0030 MOUNTING KIT SIDE AIR 103




Montagesätze - top air + light



29810 0230 MOUNTING KIT TOP AIR 103



Montagesätze - side air only




29810 0100 MOUNTING KIT SIDE AIR ONLY 1



SPY 39 TRIMLESS 93040 B

24121 9330 B


Montagesätze - top air only



29810 0200 MOUNTING KIT TOP AIR ONLY 1




Montagesätze - no air



29810 0070 MOUNTING KIT NO AIR 103



Licht veredelndes Zubehör




24144 0030 B VISOR 39 B



SPY 39 TRIMLESS 93040 B

24121 9330 B

Beenden Sie Ihr Produkt



24144 0010 B SPY 39 TUBE B

24144 0010 FBR SPY 39 TUBE FBR

24144 0010 FG SPY 39 TUBE FG

24144 0010 GC SPY 39 TUBE GC

24144 0010 W SPY 39 TUBE W



24144 0070 SPY 39 TUBE SBL

Notes: