





CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W

ERHÄLTICH IN
WEISS 202 511 811 922 W



Auf der Website anzeigen



Allgemeine Information

ANWENDUNGSBEREICH	innenbereich
INSTALLATION	Decke Einbau
FORM / GRÖSSE DES AUSSCHNITTS (MM)	rechteck - KIT
EINBAUTIEFE (MM)	75
DICKE DER BEFESTIGUNGSFLÄCHE (MM)	9 or 12
SCHUTZ GEGEN EINDRINGEN	IP44/20
GEWICHT (KG)	0.3
VERSTELLBARKEIT	nicht verstellbar
INFORMATION	REFLECTOR FL-33° EXCL.LED POWER SUPPLY 350-500mA-DC

Elektrische Informationen

KLASSE	III
ART DER DIMMUNG	Abhängig von der Art der externen Stromversorgung
ENERGIEKLASSE	E
ZERTIFIKATE	CB, ENEC

Lichtquelle Info

LIGHTSOURCE NAME	LED
LICHTQUELLE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30	Rf: 89 / Rg: 100
SDCM	SDCM1
RISIKOGRUPPE	RG1
LM80	L90B10 > 50000
LED -TECHNIK (LICHTQUELLE)	1041lm // 8,6W // 121lm/W
LED -TECHNIK (LEUCHTE)	812lm // 10W // 82lm/W

Erforderliches Zubehör

MOUNTING KIT 75 TRIMLESS
MOUNTING KIT 75 TRIMLESS O.F.A.
LED POWER SUPPLY 350 / 500mA-DC DIM

CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W

Detaillierte Installationsanweisungen finden Sie in der Montageanleitung: [202_511_811_XXX_HAND.pdf](#)

DECKENKOMPATIBILITÄT


Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT 75 TRIMLESS	Required
 Plasterboard	 MOUNTING KIT 75 TRIMLESS	Required
 Stucanet	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required

CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W

SPEZIFIKATION FERTIGSTELLEN

Notstrom Einheit



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

☐










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

☐


 DELTALIGHT®

CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W


LED Betriebsgeräte			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->3(3) / 1->3(3)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(1) / 1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->5(5) / 1->5(3)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1->2(1) / 1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(1) / 1(1)	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2 / 1->2	☐
	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	1	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2	☐

CARREE TRIMLESS LED IP 92733 S1 W
202 511 811 922 W




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

2 / 1 ☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1 ☐



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5


1 ☐

Mounting Kit



202 01 75 MOUNTING KIT 75 TRIMLESS

☐



202 01 75 OFA MOUNTING KIT 75 TRIMLESS O.F.A.

☐

Notes: