



## BOXY 2 L 93033 DIM8 B-B

10727 9328 B-B

AVAILABLE IN



**SCHWARZ-SCHWARZ** 10727 9328 B-B

**SCHWARZ-FLEMISH BRONZE** 10727 9328 B-FBR

**SCHWARZ-FLEMISH GOLD** 10727 9328 B-FG

**SCHWARZ-VERGOLDET MAT** 10727 9328 B-MMAT

**WEISS-WEISS** 10727 9328 W-W



[View on website](#)

### General info

<b>LOCATION</b>	innenbereich
<b>INSTALLATION</b>	Decke Aufbau
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.8
<b>ADJUSTABILITY</b>	nicht verstellbar
<b>INFORMATION</b>	2 x REFLECTOR FL-33° INCL.DIMMABLE POWER SUPPLY 350mA-DC >> B-MMAT only interior use - other colours also exterior use

### Electrical info

<b>ELECTRICAL</b>	220-240V / 50-60Hz
<b>CLASS</b>	II
<b>POWER SUPPLY INCLUDED</b>	YES
<b>DIM TYPE</b>	Phasenabschnitt
<b>ENERGY CLASS</b>	E
<b>CERTIFICATION</b>	CB, EAC, ENEC

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	2 x (LED array 7,1W / CRI>90 (R9: 52) / 3000K / 812lm)
<b>RVALUES</b>	Rf: 90 / Rg: 99
<b>SDMC</b>	SDCM2
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1624lm // 14,2W // 115lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	1295lm // 16W // 79lm/W

### Accessories

BOXY HONEYCOMB  
BOXY SOFTENING LENS  
BOXY GLASS SBL

# BOXY 2 L 93033 DIM8 B-B


10727 9328 B-B

For detailed installation instructions, please consult the manual: [10727\\_XXXX\\_HAND.pdf](#)

## FINISH YOUR SPECIFICATION

### Vorschaltgeräte und Trafos

---



**300 90 004 ED8** WIRELESS CONTROL DIM8

### Licht veredelndes Zubehör

---



Ø40



Ø45  
1.5

**251 70 03 01 B** BOXY HONEYCOMB B

**251 70 03 01 W** BOXY HONEYCOMB W



Ø40



Ø45  
1.5

**251 70 03 04 B** BOXY SOFTENING LENS B

**251 70 03 04 W** BOXY SOFTENING LENS W



Ø40



Ø45  
1.5

**251 70 03 05 B** BOXY GLASS SBL B

**251 70 03 05 W** BOXY GLASS SBL W

 DELTALIGHT®

**BOXY 2 L 93033 DIM8 B-B**

10727 9328 B-B

Notes: