

TECHNICAL SHEET

1907-10

Mounting: Floor Lamp
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 100-240V 50/60Hz
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Lighting Control: Dimmer on cable



1907-20

Mounting: Suspension
Environment: Indoor - IP20
Materials: Metallo/Metal
Input Current: 700mA
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Cable RAL: 9005




Rosoni / Canopies

1907-90 CANOPY TYPE C

Mounting: a soffitto / ceiling
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz
Lighting Control: Dimmable 0-10V




1907-10



L212 x Ø40 x H226

1907-20+1907-90



Finiture / Finishes

Struttura / Structure 1907-10



Nero opaco
Matt black

Struttura / Structure 1907-20



Nero opaco
Matt black



Bianco opaco
Matt white



Arancione
Orange



Blu
Blue



Bronzo opaco
Matt bronze

Rosoni / Canopies



Metallo nero opaco
Matt black metal



Metallo oro opaco
Matt gold metal



Bianco opaco
Matt white

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli.
Vale altresì il viceversa: i rosoni non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes.
The reverse is also the true: rosettes cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1907-10-1111-DXNE	floor lamp	nero opaco / matt black		dimmer on cable / 3000K
1907-10-1111-DXWE	floor lamp	nero opaco / matt black		dimmer on cable / 2700K
1907-20-1111-D2NE	suspension	nero opaco / matt black		3000K
1907-20-1111-D2WE	suspension	nero opaco / matt black		2700K
1907-20-1616-D2NE	suspension	bronzo opaco / matt bronze		3000K
1907-20-1616-D2WE	suspension	bronzo opaco / matt bronze		2700K
1907-20-0101-D2NE	suspension	bianco opaco / matt white		3000K
1907-20-0101-D2WE	suspension	bianco opaco / matt white		2700K
1907-20-4242-D2NE	suspension	blu / blue		3000K
1907-20-4242-D2WE	suspension	blu / blue		2700K
1907-20-4343-D2NE	suspension	arancione / orange		3000K
1907-20-4343-D2WE	suspension	arancione / orange		2700K
1907-90-1100-DXLE	canopy type C	nero opaco / matt black		dimnable 0-10V
1907-90-0600-DXLE	canopy type C	oro opaco / matt gold		dimnable 0-10V
1907-90-0100-DXLE	canopy type C	bianco opaco / matt white		dimnable 0-10V