

Vollee

SUSPENSION



Struttura in metallo verniciato.
Illuminazione a LED.
Painted metal frame. LED Lighting.

Gestell aus lackiertem Metall.
LED-Beleuchtung.

Estructura de metal Pintado.
Iluminación LED.

Structure en métal peint. LED
éclairage.


Структура из окрашенного
металла. Светодиодное
освещение.

这种灯具的结构是涂漆的金属。LED
照明。

هيكل معدني مطلي.
إضاءة ليد.

FINISHINGS

STANDARD



v95 Bianco opaco
Matt white



v90 Nero opaco
Matt black



v99 Oro opaco verniciato
Painted matt gold




v55 Carta da zucchero
Mid Blue



v24 Zucca
Pumpkin

STANDARD CABLES FOR ALL SUSPENSIONS



VOLLEE S1G



L	52 cm / 20.47"
SP	36 cm / 14.17"
H	88 cm / 34.65"

INTEGRATED LED LIGHTING

7,5 W CRI>90
3000 K – 915 NOMINAL LM

VOLLEE S1P DOWN



L	25 cm / 9.84"
SP	17,5 cm / 6.89"
H	44 cm / 17.32"

INTEGRATED LED LIGHTING

6,6 W CRI>90
3000 K – 825 NOMINAL LM

VOLLEE S1P UP




L	25 cm / 9.84"
SP	17,5 cm / 6.89"
H	44 cm / 17.32"


INTEGRATED LED LIGHTING

6,6 W CRI>90
3000 K – 825 NOMINAL LM


DIMM NO



DIMM NO



DIMM NO



VOLLEE C4 G



VOLLEE C2+2



VOLLEE C5 P



INTEGRATED LED LIGHTING

25,6 W CRI>90
3000 K – 3200 NOMINAL LM

INTEGRATED LED LIGHTING

25,6 W CRI>90
3000 K – 3200 NOMINAL LM




INTEGRATED LED LIGHTING

31 W CRI>90
3000 K – 3900 NOMINAL LM


DIMM 1-10V + PUSH

DIMM 1-10V + PUSH


DIMM 1-10V + DALI + PUSH




SUGGESTED CONFIGURATION FOR C4 G




SUGGESTED CONFIGURATION FOR C 2+2



SUGGESTED CONFIGURATION FOR C5 P



SUGGESTED CONFIGURATION FOR C5 P X4




Ⓜ : for the US market, refer to the relevant price list.


VOLLEE C2G LN 75 

L 75 cm / 29.52"
 SP 20 cm / 7.87"
 H MAX 240 cm / 94.48"

INTEGRATED LED LIGHTING
 12,8 W CRI>90
 3000 K – 1600 NOMINAL LM

DIMM 1-10V + PUSH





VOLLEE C4P LN 125 

L 125 cm / 49.21"
 SP 20 cm / 7.87"
 H MAX 200 cm / 78.74"

INTEGRATED LED LIGHTING
 25,6 W CRI>90
 3000 K – 3200 NOMINAL LM

DIMM 1-10V + PUSH





VOLLEE C4G RD 60 

ø 96 cm / 37.80"
 H 240 cm / 94.48"

INTEGRATED LED LIGHTING
 25,6 W CRI>90
 3000 K – 3200 NOMINAL LM

DIMM 1-10V + PUSH





VOLLEE C4P RD 60 

ø 60 cm / 37.80"
 H 200 cm / 78.74"

INTEGRATED LED LIGHTING
 25,6 W CRI>90
 3000 K – 3200 NOMINAL LM

DIMM 1-10V + PUSH




VOLLEE C8P RD 80 

ø 80 cm / 31.49"
 H 200 cm / 78.74"

INTEGRATED LED LIGHTING
 52,8 W CRI>90
 3000 K – 6600 NOMINAL LM

DIMM 1-10V + DALI + PUSH



 : for the US market, refer to the relevant price list.